

1705.4.1

Errata 2018 IBC

Chapter 17 SPECIAL INSPECTION AND TESTING

Code/Standard: 2018 International Building Code

Applies to following Printings: 1st printing

Section/Table/Figure Number: 1705.4.1

Posted: April 9, 2018

Correction:

1705.4.1 Empirically designed masonry, glass unit masonry and masonry veneer in Risk Category IV. *Special inspections* and tests for empirically designed masonry, glass unit masonry or masonry veneer designed in accordance with Section 2109, 2110 or Chapter 14, respectively, where they are part of a structure classified as *Risk Category IV* shall be performed in accordance with TMS ~~402, Level B Quality Assurance~~ 602 Level 2.

Correlation Notes: None

1705.5.2

Errata 2018 IBC

Chapter 17 SPECIAL INSPECTION AND TESTING

Code/Standard: 2018 International Building Code

Applies to following Printings: 1st printing

Section/Table/Figure Number: 1705.5.2

Posted: April 9, 2018

Correction:

1705.5.2 Metal-plate-connected wood trusses spanning 60 feet or greater. ~~Special inspections of wood trusses with overall heights of 60 inches (1524 mm) or greater shall be performed to verify that the installation of~~ Where a truss clear span is 60 feet (18 288 mm) or greater, the special inspector shall verify that the temporary installation restraint/bracing and the permanent individual truss member restraint/bracing ~~has been~~ are installed in accordance with the approved truss submittal package. ~~For wood trusses with a clear span of 60 feet (18 288 mm) or greater, the special inspector shall verify during construction that the temporary installation restraint/bracing is installed in accordance with the approved truss submittal package.~~

Correlation Notes: *Code change S138-15 was Approved as submitted, however, this was withdrawn by the proponent.*